Toxicology, 70 (1991) 369–372
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

SUBJECT INDEX

Volume 70 (1991)

additive or adverse effects on toxicity by chemicals, factors intrinsic to an organism, physical activity, psychogenic stress, 107
aflatoxin B_1, toxicity, myelopoiesis, long-term bone marrow culture, 203
alcohol, ethanol, fatty acid ethyl ester, lung, 303
alcohol dehydrogenase, 1,1-dichloroethylene, vinylidene chloride, hypothyroidism, hepatotoxicity, metabolism, glutathione S-transferases, 213
aldosterone, atrial natriuretic peptide, cadmium, cardiovascular toxicity, renin, 185
aluminium, nickel, TCDD, supplementary effects, cellular effects of several environmental pollutants, lead, 93
alveolar macrophages, ozone, hydrogen peroxide, cellular ATP concentration, 195
amikacin, aminoglycoside, cationic, guanidine, kidney, 353
aminoglycoside, amikacin, cationic, guanidine, kidney, 353
antibody response, monocrotaline, immunotoxicity, lymphocytes, natural killer cell, blastogenesis, phagocytosis, 313
anticancer drug, 4′-deoxy-4′-iodo-doxorubicin, rat, cardiotoxicity, cancer cell lines, cytotoxicity, 243
ascorbate, hepatotoxicity, isolated perfused liver, lipid peroxidation, propyl gallate, trolox C, vanadate, 141
atrial natriuretic peptide, cadmium, cardiovascular toxicity, renin, aldosterone, 185

blastogenesis, monocrotaline, immunotoxicity, lymphocytes, antibody response, natural killer cell, phagocytosis, 313
bone marrow toxicity, trichothecenes, mycotoxins, erythropoietic damage, 133
5-bromo-2′-deoxyuridine, immunohistochemstry, toxicity, 345

cadmium, environmental pollutants, cellbiological and histochemical approach, 1
cadmium, atrial natriuretic peptide, cardiovascular toxicity, renin, aldosterone, 185
cadmium at cellular level, high dose nuclear effects, low dose cellular effects, metallothionein localisation, high molecular weight heat shock protein localisation, subcellular effects, 5
cadmium at organ level, simultaneous minor alterations in cells of one organ, minor cellular alterations in most organ systems, morphological effects in the animal model, predictive value for man, 39
cadmium transport, cellular uptake, rat jejunal mucosa, membrane binding, temperature dependence, 261
cancer cell lines, 4′-deoxy-4′-iodo-doxorubicin, anticancer drug, rat, cardiotoxicity, cytotoxicity, 243
carcinogenesis, heptachlor, *ras* oncogene, myeloblastic leukemia cells, 283
cardiotoxicity, 4′-deoxy-4′-iodo-doxorubicin, anticancer drug, rat, cancer cell lines, cytotoxicity, 243
cardiovascular toxicity, atrial natriuretic peptide, cadmium, renin, aldosterone, 185
cationic, amikacin, aminoglycoside, guanidine, kidney, 353
cellbiological and histochemical approach, cadmium, environmental pollutants, 1
cell biological and histochemical methods, localisation of environmental pollutants, cell damage — qualitative methods, cell damage — quantitative methods, pathological intracellular structures, cell death, 123
cell damage — qualitative methods, cell damage — quantitative methods, pathological intracellular structures, cell death, cell biological and histochemical methods, localisation of environmental pollutants, 123
cell damage — quantitative methods, pathological intracellular structures, cell death, cell biological and histochemical methods, localisation of environmental pollutants, cell damage — qualitative methods, 123
cell death, cell biological and histochemical methods, localisation of environmental pollutants, cell damage — qualitative

methods, cell damage — quantitative methods, pathological intracellular structures, 123
cell-mediated immunity, humoral immunity, T mitogen induced proliferation, interleukin-2 production, polyclonal immunoglobulin synthesis, in vitro, human, 271
cellular ATP concentration, ozone, hydrogen peroxide, alveolar macrophages, 195
cellular effects of several environmental pollutants, lead, aluminium, nickel, TCDD, supplementary effects, 93
cellular effects, extrapolation to diseases, environmental pollutants, 119
cellular uptake, cadmium transport, rat jejunal mucosa, membrane binding, temperature dependence, 261
cisplatin, nephrotoxicity, streptozotocin, 151
cytotoxicity, 4′-deoxy-4′-iodo-doxorubicin, anticancer drug, rat, cardiotoxicity, cancer cell lines, 243

4′-deoxy-4′-iodo-doxorubicin, anticancer drug, rat, cardiotoxicity, cancer cell lines, cytotoxicity, 243
1,1-dichloroethylene, vinylidene chloride, hypothyroidism, hepatotoxicity, metabolism, alcohol dehydrogenase, glutathione S-transferases, 213
diethylmaleate, lipid peroxidation, renal dysfunction, vitamin E, 163

environmental pollutants, cellbiological and histochemical approach, cadmium, 1
environmental pollutants, cellular effects, extrapolation to diseases, 119
erythropoietic damage, trichothecenes, mycotoxins, bone marrow toxicity, 133
ethanol, alcohol, fatty acid ethyl ester, lung, 303
ethanol, hepatotoxicity, human hepatocytes, *S*-adenosyl-L-methionine, opiates, paracetamol, 293
extrapolation to diseases, environmental pollutants, cellular effects, 119

factors intrinsic to an organism, physical activity, psychogenic stress, additive or adverse effects on toxicity by chemicals, 107
fatty acid ethyl ester, ethanol, alcohol, lung, 303

α_{2u}-globulin, hyaline droplet nephropathy, SDS-PAGE, immunoblotting, *d*-limonene, 173
glutathione S-transferases, 1,1-dichloroethylene, vinylidene chloride, hypothyroidism, hepatotoxicity, metabolism, alcohol dehydrogenase, 213
guanidine, amikacin, aminoglycoside, cationic, kidney, 353

hepatotoxicity, ascorbate, isolated perfused liver, lipid peroxidation, propyl gallate, trolox C, vanadate, 141
hepatotoxicity, 1,1-dichloroethylene, vinylidene chloride, hypothyroidism, metabolism, alcohol dehydrogenase, glutathione S-transferases, 213
hepatotoxicity, human hepatocytes, *S*-adenosyl-L-methionine, opiates, paracetamol, ethanol, 293
heptachlor, *ras* oncogene, myeloblastic leukemia cells, carcinogenesis, 283
high dose nuclear effects, low dose cellular effects, metallothionein localisation, high molecular weight heat shock protein localisation, subcellular effects, cadmium at cellular level, 5
high molecular weight heat shock protein localisation, subcellular effects, cadmium at cellular level, high dose nuclear effects, low dose cellular effects, metallothionein localisation, 5
human, cell-mediated immunity, humoral immunity, T mitogen induced proliferation, interleukin-2 production, polyclonal immunoglobulin synthesis, in vitro, 271
human hepatocytes, hepatotoxicity, *S*-adenosyl-L-methionine, opiates, paracetamol, ethanol, 293
humoral immunity, cell-mediated immunity, T mitogen induced proliferation, interleukin-2 production, polyclonal immunoglobulin synthesis, in vitro, human, 271
hyaline droplet nephropathy, α_{2u}-globulin, SDS-PAGE, immunoblotting, *d*-limonene, 173
hydrogen peroxide, ozone, alveolar macrophages, cellular ATP concentration, 195
hypothyroidism, 1,1-dichloroethylene, vinylidene chloride, hepatotoxicity, metabolism, alcohol dehydrogenase, glutathione S-transferases, 213

immunoblotting, hyaline droplet nephropathy, α_{2u}-globulin, SDS-PAGE, *d*-limonene, 173
immunohistochemistry, 5-bromo-2′-deoxyuridine, toxicity, 345
immunosuppression, trichloroethylene, natural killer, natural cytotoxic, 231
immunotoxicity, monocrotaline, lymphocytes, antibody response, natural killer cell, blastogenesis, phagocytosis, 313
individual susceptibility to toxic chemicals, organ microarchitecture, toxic substances versus psychogenic stress, 113

interleukin-2 production, cell-mediated immunity, humoral immunity, T mitogen induced proliferation, polyclonal immunoglobulin synthesis, in vitro, human, 271
in vitro, cell-mediated immunity, humoral immunity, T mitogen induced proliferation, interleukin-2 production, polyclonal immunoglobulin synthesis, human, 271
isolated perfused liver, ascorbate, hepatotoxicity, lipid peroxidation, propyl gallate, trolox C, vanadate, 141

kidney, amikacin, aminoglycoside, cationic, guanidine, 353

lead, aluminium, nickel, TCDD, supplementary effects, cellular effects of several environmental pollutants, 93
d-limonene, hyaline droplet nephropathy, α_{2u}-globulin, SDS-PAGE, immunoblotting, 173
lipid peroxidation, ascorbate, hepatotoxicity, isolated perfused liver, propyl gallate, trolox C, vanadate, 141
lipid peroxidation, renal dysfunction, diethylmaleate, vitamin E, 163
localisation of environmental pollutants, cell damage — qualitative methods, cell damage — quantitative methods, pathological intracellular structures, cell death, cell biological and histochemical methods, 123
long-term bone marrow culture, aflatoxin B_1, toxicity, myelopoiesis, 203
low dose cellular effects, metallothionein localisation, high molecular weight heat shock protein localisation, subcellular effects, cadmium at cellular level, high dose nuclear effects, 5
lung, ethanol, alcohol, fatty acid ethyl ester, 303
lymphocytes, monocrotaline, immunotoxicity, antibody response, natural killer cell, blastogenesis, phagocytosis, 313

membrane binding, cadmium transport, cellular uptake, rat jejunal mucosa, temperature dependence, 261
metabolism, 1,1-dichloroethylene, vinylidene chloride, hypothyroidism, hepatotoxicity, alcohol dehydrogenase, glutathione S-transferases, 213
metallothionein localisation, high molecular weight heat shock protein localisation, subcellular effects, cadmium at cellular level, high dose nuclear effects, low dose cellular effects, 5
minor cellular alterations in most organ systems, morphological effects in the animal model, predictive value for man, cadmium at organ level, simultaneous minor alterations in cells of one organ, 39
monocrotaline, immunotoxicity, lymphocytes, antibody response, natural killer cell, blastogenesis, phagocytosis, 313
morphological effects in the animal model, predictive value for man, cadmium at organ level, simultaneous minor alterations in cells of one organ, minor cellular alterations in most organ systems, 39
mycotoxins, trichothecenes, bone marrow toxicity, erythropoietic damage, 133
myeloblastic leukemia cells, heptachlor, *ras* oncogene, carcinogenesis, 283
myelopoiesis, aflatoxin B_1, toxicity, long-term bone marrow culture, 203

natural cytotoxic, trichloroethylene, immunosuppression, natural killer, 231
natural killer, trichloroethylene, immunosuppression, natural cytotoxic, 231
natural killer cell, monocrotaline, immunotoxicity, lymphocytes, antibody response, blastogenesis, phagocytosis, 313
nephrotoxicity, cisplatin, streptozotocin, 151
nephrotoxicity, succinimides, prostaglandins, thromboxane, rats, 327
nickel, TCDD, supplementary effects, cellular effects of several environmental pollutants, lead, aluminium, 93

opiates, hepatotoxicity, human hepatocytes, *S*-adenosyl-L-methionine, paracetamol, ethanol, 293
organ microarchitecture, toxic substances versus psychogenic stress, individual susceptibility to toxic chemicals, 113
ozone, hydrogen peroxide, alveolar macrophages, cellular ATP concentration, 195

paracetamol, hepatotoxicity, human hepatocytes, *S*-adenosyl-L-methionine, opiates, ethanol, 293
pathological intracellular structures, cell death, cell biological and histochemical methods, localisation of environmental pollutants, cell damage — qualitative methods, cell damage — quantitative methods, 123
phagocytosis, monocrotaline, immunotoxicity, lymphocytes, antibody response, natural killer cell, blastogenesis, 313
physical activity, psychogenic stress, additive or adverse effects on toxicity by chemicals, factors intrinsic to an organism, 107
polyclonal immunoglobulin synthesis, cell-

mediated immunity, humoral immunity, T mitogen induced proliferation, interleukin-2 production, in vitro, human, 271
predictive value for man, cadmium at organ level, simultaneous minor alterations in cells of one organ, minor cellular alterations in most organ systems, morphological effects in the animal model, 39
propyl gallate, ascorbate, hepatotoxicity, isolated perfused liver, lipid peroxidation, trolox C, vanadate, 141
prostaglandins, succinimides, nephrotoxicity, thromboxane, rats, 327
psychogenic stress, additive or adverse effects on toxicity by chemicals, factors intrinsic to an organism, physical activity, 107

ras oncogene, heptachlor, myeloblastic leukemia cells, carcinogenesis, 283
rat, 4′-deoxy-4′-iodo-doxorubicin, anticancer drug, cardiotoxicity, cancer cell lines, cytotoxicity, 243
rat jejunal mucosa, cadmium transport, cellular uptake, membrane binding, temperature dependence, 261
rats, succinimides, nephrotoxicity, prostaglandins, thromboxane, 327
renal dysfunction, lipid peroxidation, diethylmaleate, vitamin E, 163
renin, atrial natriuretic peptide, cadmium, cardiovascular toxicity, aldosterone, 185

S-adenosyl-L-methionine, hepatotoxicity, human hepatocytes, opiates, paracetamol, ethanol, 293
SDS-PAGE, hyaline droplet nephropathy, α_{2u}-globulin, immunoblotting, *d*-limonene, 173
simultaneous minor alterations in cells of one organ, minor cellular alterations in most organ systems, morphological effects in the animal model, predictive value for man, cadmium at organ level, 39
streptozotocin, cisplatin, nephrotoxicity, 151
subcellular effects, cadmium at cellular level, high dose nuclear effects, low dose cellular effects, metallothionein localisation, high molecular weight heat shock protein localisation, 5
succinimides, nephrotoxicity, prostaglandins, thromboxane, rats, 327
supplementary effects, cellular effects of several environmental pollutants, lead, aluminium, nickel, TCDD, 93

TCDD, supplementary effects, cellular effects of several environmental pollutants, lead, aluminium, nickel, 93
temperature dependence, cadmium transport, cellular uptake, rat jejunal mucosa, membrane binding, 261
thromboxane, succinimides, nephrotoxicity, prostaglandins, rats, 327
toxicity, aflatoxin B_1, myelopoiesis, long-term bone marrow culture, 203
toxicity, 5-bromo-2′-deoxyuridine, immunohistochemistry, 345
toxic substances versus psychogenic stress, individual susceptibility to toxic chemicals, organ microarchitecture, 113
trichloroethylene, immunosuppression, natural killer, natural cytotoxic, 231
trichothecenes, mycotoxins, bone marrow toxicity, erythropoietic damage, 133
trolox C, ascorbate, hepatotoxicity, isolated perfused liver, lipid peroxidation, propyl gallate, vanadate, 141
T mitogen induced proliferation, cell-mediated immunity, humoral immunity, interleukin-2 production, polyclonal immunoglobulin synthesis, in vitro, human, 271

vanadate, ascorbate, hepatotoxicity, isolated perfused liver, lipid peroxidation, propyl gallate, trolox C, 141
vinylidene chloride, 1,1-dichloroethylene, hypothyroidism, hepatotoxicity, metabolism, alcohol dehydrogenase, glutathione S-transferases, 213
vitamin E, lipid peroxidation, renal dysfunction, diethylmaleate, 163

Toxicology, 70 (1991) 373
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

AUTHOR INDEX

Volume 70 (1991)

Agen, C. 243
Akao, M. 203
Anestis, D.K. 327
Anisimov, V.N. 345

Bernardini, N. 243
Brown, P.I. 327

Carlson, G.P. 303
Castell, J.V. 293
Chuang, L.F. 283
Chuang, R.Y. 283
Costa, M. 243
Cukrová, V. 203

Danesi, R. 243
Deyo, J.A. 313

Elias, M.M. 163

Fabra, R. 293
Faifer G.C 133
Foulkes, E.C. 261

Giridhar, J. 185
Godoy, H.M. 133
Gómez-Lechón, M.J. 293

Henneman, J.R. 345
Hwagawa, S. 173

Isom, G.E. 185

Jover, R. 293

Kaneko, H. 173
Kanz, M.F. 213
Kayser, E. 141
Kerkvliet, N.I. 313

Lang, D. 271
Langrová, E. 203

Macchiarini, P. 243
Madan, E. 151
Manautou, J.E. 303
Molsen, M.T. 213
Morselt, A.F.W. 1
Mueller-Ruchholtz, W. 271

Nicoll, D.W. 327

Ochoa, J.E. 163
Oosting, R.S. 195
Osipova, G.Y. 345

Ponsoda, X. 293

Rankin, G.O. 327

Saito, K. 173
Scott, L.A. 151
Stacey, N.H. 231
Strubelt, O. 141
Suzuki, C.A.M. 353

Tacca, M.D. 243
Taj, Z. 213
Teets, V.J. 327
Thomas, B.H. 353
Thomas, W.D. 231
Torre, P.D. 243
Torres, A.M. 163
Trullenque, R. 293

Uwagawa, S. 173

Valentovic, M.A. 151
Valentovic, M.A. 327
van Bree, L. 195
van Golde, L.M.G. 195
van Rees-Verhoef, M. 195
Verhoef, J. 195

Ward, J.M. 345
Wright, P.F.A. 231

Yokel, R.A. 151
Yoshitake, A. 173
Younes, M. 141